



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:31:10 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Facepiece Leakage Pass 0.2 "H2O
Second Stage	Exhalation Pressure Pass 1.8 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.4 "H2O	2.5 "H2O	Pass Facepiece Pressure

8/20/2025 2:32:46 PM - Don McDougall: 08 med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:17:41 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.6 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.4 "H2O	2.4 "H2O	Pass Facepiece Pressure

8/20/2025 2:18:57 PM - Don McDougall: 12 med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:06:16 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.6 "H2O
Second Stage	Facepiece Leakage Pass 0.4 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum		Breathing Results
0.4 "H2O	2.3 "H2O	Pass	Facepiece Pressure

8/20/2025 2:14:54 PM - Don McDougall: Troy med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:25:45 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 2.0 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum		Breathing Results
0.4 "H2O	2.7 "H2O	Pass	Facepiece Pressure

8/20/2025 2:26:54 PM - Don McDougall: Brennan med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:28:08 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.8 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum		Breathing Results
0.4 "H2O	2.6 "H2O	Pass	Facepiece Pressure

8/20/2025 2:29:24 PM - Don McDougall: David med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 9:59:43 AM

MSA
M7XT 4500 33% Alarm
S/N: laj069943

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Facepiece Leakage Pass 0.1 "H2O
Second Stage	Exhalation Pressure Pass 1.7 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.0 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 93.6 PSI
Cyl Connector	Medium Pressure Creep Pass 1.3 PSI
Airline Attachment	1st Breath Activation Pass -11.3 "H2O
Harness	High Pressure Leakage Pass 3 PSI
Visual Inspection	Gauge Accuracy
Facepiece Pass	4500 PSI Numbers Cancel
Backframe/Harness Pass	
Cylinder Pass	3000±225 PSI
Low Pressure Warning Pass	Cancel 0
Hoses Pass	
Manifold Volume: 0.095	



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.6	"H2O	2.0	"H2O	Pass	Facepiece Pressure	0.8	"H2O	2.5	"H2O	Pass
56.1	PSI	94.8	PSI	Pass	Medium Pressure	53.2	PSI	106.1	PSI	Fail

8/20/2025 10:31:59 AM - Don McDougall: Spare med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test

8/21/2025 10:37:27 AM

MSA





G1 SCBA, 4500, 33% Alarm, with MP Test

S/N: e004015301d114cf

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 2.0 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.0 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 105.6 PSI
Cyl Connector	Medium Pressure Creep Pass 0.4 PSI
Airline Attachment	1st Breath Activation Pass -7.6 "H2O
Harness	High Pressure Leakage Pass 1 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	G1 4500 Bell (33%) Pass 1532 PSI
Cylinder Pass	Ringdown Pass 95 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.105	1000±225 PSI Pass 1102
	2000±225 PSI Pass 2151
	3000±225 PSI Pass 2928
	G1 4500 HUD (33%) Cancel
	75% (3375±225 PS Pass 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.2	"H2O	3.1	"H2O	Pass	Facepiece Pressure	0.1	"H2O	2.7	"H2O	Pass
80.4	PSI	103.6	PSI	Pass	Medium Pressure	80.5	PSI	105.7	PSI	Pass

8/21/2025 11:25:43 AM - Don McDougall: Pump med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test

8/20/2025 3:01:22 PM

MSA





Richer

G1 SCBA, 4500, 33% Alarm, with MP Test

S/N: e004015301d09750

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.8 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.0 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 107.6 PSI
Cyl Connector	Medium Pressure Creep Pass 1.2 PSI
Airline Attachment	1st Breath Activation Pass -6.6 "H2O
Harness	High Pressure Leakage Pass 4 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	G1 4500 Bell (33%) Pass 1587 PSI
Cylinder Pass	Ringdown Pass 114 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.084	1000±225 PSI Pass 1095
	2000±225 PSI Pass 2079
	3000±225 PSI Pass 3025
	G1 4500 HUD (33%) Cancel
	75% (3375±225 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.3	"H2O	2.3	"H2O	Pass	Facepiece Pressure	0.2	"H2O	2.6	"H2O	Pass
81.8	PSI	106.2	PSI	Pass	Medium Pressure	82.0	PSI	107.1	PSI	Pass

8/20/2025 3:08:20 PM - Don McDougall: Rescue med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test

8/21/2025 1:15:28 PM

MSA





G1 SCBA, 4500, 33% Alarm, with MP Test

S/N: e004015301df4375

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.8 "H2O
Second Stage	Facepiece Leakage Pass 0.2 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 0.9 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 102.1 PSI
Cyl Connector	Medium Pressure Creep Pass -1.9 PSI
Airline Attachment	1st Breath Activation Pass -6.4 "H2O
Harness	High Pressure Leakage Pass 11 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	G1 4500 Bell (33%) Pass 1548 PSI
Cylinder Pass	Ringdown Pass 94 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.093	1000±225 PSI Pass 1224
	2000±225 PSI Pass 2189
	3000±225 PSI Pass 2856
	G1 4500 HUD (33%) Cancel
	75% (3375±225 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.1	"H2O	2.7	"H2O	Pass	Facepiece Pressure	0.0	"H2O	2.6	"H2O	Pass
80.2	PSI	103.3	PSI	Pass	Medium Pressure	80.5	PSI	102.2	PSI	Pass

8/21/2025 1:48:09 PM - Don McDougall: Pump med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test

8/21/2025 10:05:27 AM

MSA





G1 SCBA, 4500, 33% Alarm, with MP Test

S/N: e004015301df5341

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.8 "H2O
Second Stage	Facepiece Leakage Pass 0.5 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.2 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 100.2 PSI
Cyl Connector	Medium Pressure Creep Pass -0.8 PSI
Airline Attachment	1st Breath Activation Pass -5.9 "H2O
Harness	High Pressure Leakage Pass 29 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	G1 4500 Bell (33%) Pass 1569 PSI
Cylinder Pass	Ringdown Pass 96 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.084	1000±225 PSI Pass 1158
	2000±225 PSI Pass 2091
	3000±225 PSI Pass 3075
	G1 4500 HUD (33%) Cancel
	75% (3375±225 PS
	Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.3	"H2O	2.2	"H2O	Pass	Facepiece Pressure	0.1	"H2O	2.6	"H2O	Pass
80.8	PSI	99.8	PSI	Pass	Medium Pressure	80.5	PSI	102.2	PSI	Pass

8/21/2025 10:11:59 AM - Don McDougall: Pump med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test

8/21/2025 2:01:38 PM

MSA





G1 SCBA, 4500, 33% Alarm, with MP Test

S/N: e00401530831ec45

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.7 "H2O
Second Stage	Facepiece Leakage Pass 0.2 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.0 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 102.5 PSI
Cyl Connector	Medium Pressure Creep Pass 0.6 PSI
Airline Attachment	1st Breath Activation Pass -6.3 "H2O
Harness	High Pressure Leakage Pass 10 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	G1 4500 Bell (33%) Pass 1566 PSI
Cylinder Pass	Ringdown Pass 99 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.086	1000±225 PSI Pass 999
	2000±225 PSI Pass 1977
	3000±225 PSI Pass 2987
	G1 4500 HUD (33%) Cancel
	75% (3375±225 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.3	"H2O	2.2	"H2O	Pass	Facepiece Pressure	0.1	"H2O	2.7	"H2O	Pass
78.2	PSI	102.1	PSI	Pass	Medium Pressure	77.7	PSI	102.9	PSI	Pass

8/21/2025 2:14:43 PM - Don McDougall: Pump med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 1:57:37 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.7 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.4 "H2O	2.6 "H2O	Pass Facepiece Pressure

8/20/2025 1:59:00 PM - Don McDougall: Kyle med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 11:23:17 AM

MSA
M7XT 4500 33% Alarm
S/N: lah153622

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.9 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.4 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 86.5 PSI
Cyl Connector	Medium Pressure Creep Pass -0.1 PSI
Airline Attachment	1st Breath Activation Pass -7.0 "H2O
Harness	High Pressure Leakage Pass 37 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	M7XT 4500 Bell (33%) Pass 1528 PSI
Cylinder Pass	Ringdown Pass 113 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.095	1000±225 PSI Pass 1089
	2000±225 PSI Pass 2168
	3000±225 PSI Pass 3069
	MMR 4500 HUD or I-HUD (33%) Cancel
	75% (3375±100 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.7	"H2O	2.7	"H2O	Pass	Facepiece Pressure	0.8	"H2O	2.5	"H2O	Pass
65.7	PSI	85.7	PSI	Pass	Medium Pressure	62.7	PSI	87.6	PSI	Pass

8/20/2025 11:46:16 AM - Don McDougall: Tender med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 1:09:34 PM

MSA
M7XT 4500 33% Alarm
S/N: lah276585

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.6 "H2O
Second Stage	Facepiece Leakage Pass 0.4 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.1 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 87.6 PSI
Cyl Connector	Medium Pressure Creep Pass 0.1 PSI
Airline Attachment	1st Breath Activation Pass -6.4 "H2O
Harness	High Pressure Leakage Pass 69 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	M7XT 4500 Bell (33%) Pass 1546 PSI
Cylinder Pass	Ringdown Pass 117 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.102	1000±225 PSI Pass 1044
	2000±225 PSI Pass 2040
	3000±225 PSI Pass 3125
	MMR 4500 HUD or I-HUD (33%) Cancel
	75% (3375±100 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.5	"H2O	1.9	"H2O	Pass	Facepiece Pressure	0.5	"H2O	2.4	"H2O	Pass
64.2	PSI	88.5	PSI	Pass	Medium Pressure	61.0	PSI	89.1	PSI	Pass

8/20/2025 1:20:56 PM - Don McDougall: Rescue med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 1:28:26 PM

MSA
M7XT 4500 33% Alarm
S/N: lai205522

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.7 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.3 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 89.9 PSI
Cyl Connector	Medium Pressure Creep Pass 0.0 PSI
Airline Attachment	1st Breath Activation Pass -10.9 "H2O
Harness	High Pressure Leakage Pass 2 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	M7XT 4500 Bell (33%) Pass 1590 PSI
Cylinder Pass	Ringdown Pass 118 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.106	1000±225 PSI Pass 1164
	2000±225 PSI Pass 2090
	3000±225 PSI Pass 3138
	MMR 4500 HUD or I-HUD (33%) Cancel
	75% (3375±100 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.4	"H2O	1.9	"H2O	Pass	Facepiece Pressure	0.3	"H2O	2.4	"H2O	Pass
69.2	PSI	89.3	PSI	Pass	Medium Pressure	66.7	PSI	87.9	PSI	Pass

8/20/2025 1:41:29 PM - Don McDougall: Rescue med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 10:32:50 AM

MSA
M7XT 4500 33% Alarm
S/N: laj069940

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.5 "H2O
Second Stage	Facepiece Leakage Pass 0.2 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.3 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 95.4 PSI
Cyl Connector	Medium Pressure Creep Pass 2.7 PSI
Airline Attachment	1st Breath Activation Pass -10.9 "H2O
Harness	High Pressure Leakage Pass 1 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	M7XT 4500 Bell (33%) Pass 1525 PSI
Cylinder Pass	Ringdown Pass 117 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.096	1000±225 PSI Pass 1130 2000±225 PSI Pass 2118 3000±225 PSI Pass 3101
	MMR 4500 HUD or I-HUD (33%) Cancel
	75% (3375±100 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.6	"H2O	1.9	"H2O	Pass	Facepiece Pressure	0.7	"H2O	2.4	"H2O	Pass
58.2	PSI	88.6	PSI	Pass	Medium Pressure	55.7	PSI	89.4	PSI	Pass

8/20/2025 10:43:30 AM - Don McDougall: Adam T med

Tested by : Don McDougall



Posi3 USB Test Results Complete SCBA Test





8/20/2025 10:52:38 AM

MSA
M7XT 4500 33% Alarm
S/N: laj069944

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.5 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	Static Facepiece Pressure Pass 1.2 "H2O
Low Pressure Alarm	Static Medium Pressure Pass 94.6 PSI
Cyl Connector	Medium Pressure Creep Pass 3.7 PSI
Airline Attachment	1st Breath Activation Pass -7.9 "H2O
Harness	High Pressure Leakage Pass 4 PSI
Visual Inspection	Bypass Pressure Pass
Facepiece Pass	Alarm Activation Pressure
Backframe/Harness Pass	M7XT 4500 Bell (33%) Pass 1620 PSI
Cylinder Pass	Ringdown Pass 119 PSI
Low Pressure Warning Pass	Gauge Accuracy
Hoses Pass	4500 PSI Numbers Pass
Manifold Volume: 0.096	1000±225 PSI Pass 1183
	2000±225 PSI Pass 2116
	3000±225 PSI Pass 3066
	MMR 4500 HUD or I-HUD (33%) Cancel
	75% (3375±100 PS Cancel 0



Minimum		Maximum			Breathing Results	Minimum		Maximum		
0.6	"H2O	1.7	"H2O	Pass	Facepiece Pressure	0.6	"H2O	2.2	"H2O	Pass
62.2	PSI	90.4	PSI	Pass	Medium Pressure	58.8	PSI	91.5	PSI	Pass

8/20/2025 11:12:18 AM - Don McDougall: Ryan Med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:20:31 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.6 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.4 "H2O	2.5 "H2O	Pass Facepiece Pressure

8/20/2025 2:22:05 PM - Don McDougall: Pat med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 11:46:59 AM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.6 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.9 "H2O	2.4 "H2O	Pass Facepiece Pressure

8/20/2025 11:49:43 AM - Don McDougall: Tender med

Tested by : Don McDougall



Posi3 USB Test Results

Facepiece Test

8/20/2025 2:01:28 PM

MSA


UltraElite Medium

S/N: lai087097 mask test pack

Richer

Posi3 USB serial # L04627 - Calibration was up to date when the test was performed

Auxiliary IDs	Functional Tests
Facepiece	Exhalation Pressure Pass 1.7 "H2O
Second Stage	Facepiece Leakage Pass 0.1 "H2O
First Stage/Reducer	
Low Pressure Alarm	
Cyl Connector	
Airline Attachment	
Harness	
Visual Inspection	
Facepiece Pass	



Minimum	Maximum	Breathing Results
0.4 "H2O	2.8 "H2O	Pass Facepiece Pressure

8/20/2025 2:03:16 PM - Don McDougall: Trevor med

Tested by : Don McDougall